

DI SERIE STANDARD



Maniglia 587 finitura titanio
 anta da L 30 a L 90 → passo 160 mm
N.B.: per gli elementi da 15 utilizzare la maniglia KL passo 32 mm (vedi pag.29)

Handle 587 titanium finish
 door from W 30 to W 90 → centre-to-centre distance 160 mm
NOTE: use KL handle with centre-to-centre distance 32 mm for 15 cm elements (see page 29)

A RICHIESTA ON REQUEST



Maniglia 588 finitura cromo opaco
 elementi da L 15 → Pomo
 anta da L 30 a L 60 → passo 160 mm
 anta L 90 → passo 320 mm

Handle 588 matt chrome finish
 elements W 15 → Knob hole
 door from W 30 to W 60 → centre-to-centre distance 160 mm
 door W 90 → centre-to-centre distance 320 mm



Maniglia K03 finitura acciaio satinato
 anta L 15 → passo 32 mm
 anta da L 30 a L 90 → passo 160 mm

Handle K03 satin steel finish
 door W 15 → centre-to-centre distance 32 mm
 door from W 30 to W 90 → centre-to-centre distance 160 mm



Maniglia 58FC finitura supporti nichel satinato
 inserto in tinta con anta frassino creta
 anta L 15 → passo 64 mm
 anta da L 30 a L 60 → passo 160 mm
 anta L 90 → passo 320 mm

Handle 58FC satin nickel finish supports
 insert match with clay ash door
 door W 15 → centre-to-centre distance 64 mm
 door from W 30 to W 60 → centre-to-centre distance 160 mm
 door W 90 → centre-to-centre distance 320 mm



Maniglia 58FN finitura supporti nichel satinato
 inserto in tinta con anta faggio naturale
 anta L 15 → passo 64 mm
 anta da L 30 a L 60 → passo 160 mm
 anta L 90 → passo 320 mm

Handle 58FN satin nickel finish supports
 insert match with natural beech door
 door W 15 → centre-to-centre distance 64 mm
 door from W 30 to W 60 → centre-to-centre distance 160 mm
 door W 90 → centre-to-centre distance 320 mm



Maniglia 58NB finitura supporti nichel satinato
 inserto in tinta con anta noce brown
 anta L 15 → passo 64 mm
 anta da L 30 a L 60 → passo 160 mm
 anta L 90 → passo 320 mm

Handle 58NB satin nickel finish supports
 insert match with brown walnut door
 door W 15 → centre-to-centre distance 64 mm
 door from W 30 to W 60 → centre-to-centre distance 160 mm
 door W 90 → centre-to-centre distance 320 mm



Maniglia 58PC finitura supporti nichel satinato
 inserto in tinta con anta pine cipria
 anta L 15 → passo 64 mm
 anta da L 30 a L 60 → passo 160 mm
 anta L 90 → passo 320 mm

Handle 58PC satin nickel finish supports
 insert match with pale pink pine door
 door W 15 → centre-to-centre distance 64 mm
 door from W 30 to W 60 → centre-to-centre distance 160 mm
 door W 90 → centre-to-centre distance 320 mm



Maniglia 58PP finitura supporti nichel satinato
 inserto in tinta con anta pine polar
 anta L 15 → passo 64 mm
 anta da L 30 a L 60 → passo 160 mm
 anta L 90 → passo 320 mm

Handle 58PP satin nickel finish supports
 insert match with polar pine door
 door W 15 → centre-to-centre distance 64 mm
 door from W 30 to W 60 → centre-to-centre distance 160 mm
 door W 90 → centre-to-centre distance 320 mm



Maniglia 58RG finitura supporti nichel satinato
 inserto in tinta con anta rovere grigio gessato
 anta L 15 → passo 64 mm
 anta da L 30 a L 60 → passo 160 mm
 anta L 90 → passo 320 mm

Handle 58RG satin nickel finish supports
 insert match with pinstripe grey oak door
 door W 15 → centre-to-centre distance 64 mm
 door from W 30 to W 60 → centre-to-centre distance 160 mm
 door W 90 → centre-to-centre distance 320 mm

SCHEMA MANIGLIA "KL" "KL" HANDLE DIAGRAM





Maniglia KL finitura titanio
passo 32 mm

Handle KL titanium finish
centre-to-centre distance 32 mm





Maniglia KL finitura titanio


Handle KL titanium finish




PENSILE / WALL UNIT




BASE / BASE UNIT




RIBALTA - APERTURA VERTICALE OBLIQUA FLAP DOOR - OBLIQUE VERTICAL OPENING




PENSILE WALL UNIT




BASE BASE UNIT




ANTA LAVASTOVIGLIE ANTA CESTELLO ESTRAIBILE DISHWASHER DOOR PULL-OUT BASKET DRAWER DOOR




CASSETTO E CESTONE DRAWER AND DEEP DRAWER




COLONNA 1 ANTA COLUMN DOOR




COLONNA ANTA CESTELLO ESTRAIBILE COLUMN PULL-OUT BASKET DRAWER DOOR




COLONNA MONOPORTA FRIGO - DISPENSA COLUMN SINGLE DOOR FRIDGE - CABINET




COLONNA ANTA CESTELLO ESTRAIBILE COLUMN PULL-OUT BASKET DRAWER DOOR



COLONNA FRIGO - DISPENSA COLUMN FRIDGE - CABINET




COLONNA FORNO OVEN COLUMN



Neck


FINITURE GOLE



GOLA TIPO "ELLE"

"ELLE" TYPE FINGER RAIL

FINITURE GOLE SPAZZOLATE FINGER RAILS BRUSHED FINISHES




ALLUMINIO LUCIDO
(OPZ.410)
POLISHED ALUMINIUM (OPT.410)




TITANIO OSSIDATO
(OPZ.414)
TITANIUM OXIDIZED (OPT.414)


FINITURE GOLE VERNICIATE A POLVERE OPACHE MATT FINGER RAILS POWDER COATED FINISHES




NERO (OPZ.7892)
BLACK (OPT.7892)




GIALLO AMBRA
(OPZ.8225)
AMBER YELLOW (OPT.8225)



ROSSO TOSCANO
(OPZ.8157)
TUSCAN RED (OPT.8157)




BIANCO ASSOLUTO
(OPZ.740S)
ABSOLUTE WHITE (OPT.740S)




BIANCO CALDO
(OPZ.7401)
WARM WHITE (OPT.7401)




BLU FIORDALISO
(OPZ.8377)
CORNFLOWER BLUE (OPT.8377)



FUMO (OPZ.9531)
SMOKE (OPT.9531)



GRIGIO BROMO
(OPZ.9533)
BROMINE GREY (OPT.9533)




GRIGIO PIOMBO
(OPZ.9537)
LEAD GREY (OPT.9537)




VERDE POSITANO
(OPZ.8471)
POSITANO GREEN (OPT.8471)




CASTORO (OPZ.8907)
BEAVER (OPT.8907)



CUOIO (OPZ.8897)
LEATHER (OPT.8897)



NOCCIOLA (OPZ.7775)
HAZEL (OPT.7775)



PLATINO (OPZ.7773)
PLATINUM (OPT.7773)









POLVERE (OPZ.9539)
DUST (OPT.9539)



TERRA DI SIENA
(OPZ.8161)
SIENA EARTH (OPT.8161)

GOLA "ELLE" ORIZZONTALE SOTTOTOP

UNDERMOUNT HORIZONTAL "ELLE" FINGER RAIL

	COD.			COD.	
<p>Gola sottotop tipo "A" Type "A" undermount finger rail</p> 				<p>Angolo interno a 90° per gola tipo "A" 90° interior corner for "A" type finger rail</p> 	
	al ml per lm	G950010		cadauno each	G950050
<p>Terminale aperto dx o sx per gola tipo "A" da utilizzare a fine composizione RH or LH open end for type "A" finger rail to be placed at the end of the composition</p> 				<p>Angolare con snodo per unione fuori squadra per gola tipo "A" Corner piece with joint for out-of-plumb joining for type "A" finger rail</p> 	
	in alluminio aluminium				
	terminale DX RH end	G950021			
	terminale SX LH end	G950022			
	in plastica (solo finitura opz.410) plastic (only finish opt.410)				
	terminale DX RH end	G950041			
	terminale SX LH end	G950042			
<p>Terminale chiuso dx o sx per gola tipo "A" da utilizzare solo tra basi e colonne RH or LH closure for type "A" finger rail to be placed only between base units and column</p> 					
	in alluminio aluminium				
	terminale DX RH end	G950031			
	terminale SX LH end	G950032			
	in plastica (solo finitura opz.410) plastic (only finish opt.410)				
	terminale DX RH end	G950045			
	terminale SX LH end	G950046			
					G950060